IN THE CLAIMS:

1.-11. (Cancelled)

12. (New) A digital broadcasting receiver which displays at least one of video program or character information of programs, comprising:

a receiver which receives video program and program information including a title and time information of a video program;

a video decoder which decodes the received video program;

an information decoder which decodes the received program information;

a menu-grid display controller to display a menu of at least present and future programs for a plurality of channels in a grid;

an omission display controller which omits a part of a character information extracted from the program information when a number of characters In the character information of the particular program is larger than a number of characters which can be displayed in a first prescribed zone indicative of a prescribed time period attached to a last tail part of the menu;

a full display controller which displays, in response to a predetermined selection, an entirety of the character information of the particular future program in a second prescribed zone; and

an outputter which outputs the character Information generated by the menugrid display controller, the omission display controller and the full display controller.

ICHIFUJI et al., §53b of 09/418,822 'Pre. Amdt. filed 9 February 2004

500.35360CX2/E3190-05ES Page 4

- 13. (New) A digital broadcasting receiver according to Claim 12, comprising: a multiplexer which multiplexes the decoded video program and the character information of programs.
- 14. (New) A digital broadcasting receiver according to Claim 12, wherein the omission display controller adds an omission symbol to a remaining part of the character Information of the particular program from which a part was omitted when displaying the remaining part of the character information of the particular future program from which a part was omitted in the first prescribed zone in the grid.
- 15. (New) A digital broadcasting receiver which displays at least one of video program or character Information of programs, comprising:
- a receiver which receives video program and program Information Including a title and time Information of a video program;
 - a video decoder which decodes the received video program;
 - a information decoder which decodes the received program information;
- a menu-grid display controller to display a menu of at least present and future programs for a plurality of channels in a grid;

an omission display controller which omits a part of a character information extracted from the program information when a data amount of characters in the character information of the particular program is larger than a data amount of characters in the characters which can be displayed in a first prescribed zone Indicative of a prescribed time period;

ICHIFUJI et al., §53b of 09/418,822 'Pre. Amdt. filed 9 February 2004

500.35360CX2/E3190-05ES Page 5

a full display controller which displays, in response to a predetermined selection, an entirety of the character information of the particular future program in a second prescribed zone; and

an outputter which outputs the character information generated by the menugrid display controller, the omission display controller and the full display controller.

- 16. (New) A digital broadcasting receiver according to Claim 15, wherein the omission display controller has a comparator to compare the decoded character data amount with data amount which can be displayed in the first prescribed zone.
- 17. (New) A digital broadcasting receiver according to Claim 15, comprising: a multiplexer which multiplexes the decoded video program and the character information of programs.
- 18. (New) A digital broadcasting receiver according to Claim 15, wherein the omission display controller adds an omission symbol to a remaining part of the character information of the particular program from which a part was omitted when displaying the remaining part of the character information of the particular future program from which a part was omitted in the first prescribed zone in the grid.
- 19. (New) A digital broadcasting receiver which displays at least one of video or a plurality of background information blocks each indicative of a program time period, comprising:

programs for a plurality of channels in a grid;

a receiver which receives video program and program information including a title and time information of a video program;

a video decoder which decodes the received video program;
an information decoder which decodes the received program information;
a menu-grid display controller to display a menu of at least present and future

a display change controller which chances a displayed shape of a particular background Information block indicative of a program time period in the grid when the program time period indicated by the particular background information block exceeds a program time period which is displayed in a first prescribed zone;

a full display controller which displays a program start time and a program end time of the program time period indicated by the particular background information block In a. second prescribed zone for any program when the program whose background Information block is changed in the shape is selected in a first prescribed zone; and

an outputter which outputs the character information generated by the menugrid display controller, the omission display controller and the full display controller.

20. (New) A digital broadcasting receiver according to Claim 19, wherein the omission display controller has a comparator to compare the time information of a program with a time band to displayed in the first prescribed zone.

21. (New) A digital broadcasting receiver according to Claim 19, comprising; a multiplexer which multiplexes the decoded video program and the character information of programs.